

Asthma Treatment Plan

(This asthma action plan meets NJ Law N.J.S.A. 18A:40-12.8) (Physician's Orders)

The Pediatric/Adult
Asthma Coalition
of New Jersey

"Your Pathway to Asthma Control"
Original PACNJ approved Plan available at
www.pacnj.org

Sponsored by
AMERICAN LUNG ASSOCIATION
of New Jersey



(Please Print)

Name	Date of Birth	Effective Date
Doctor	Parent/Guardian (if applicable)	Emergency Contact
Phone	Phone	Phone

HEALTHY



Take daily medicine(s). All metered dose inhalers (MDI) to be used with spacers.



You have all of these:

- Breathing is good
- No cough or wheeze
- Sleep through the night
- Can work, exercise, and play

And/or Peak flow above _____

MEDICINE	HOW MUCH to take and HOW OFTEN to take it
<input type="checkbox"/> Advair® 100, 250, 500	1 inhalation twice a day
<input type="checkbox"/> Advair® HFA 45, 115, 230	2 puffs MDI twice a day
<input type="checkbox"/> Asmanex® Twisthaler® 110, 220	1 - 2 inhalations a day
<input type="checkbox"/> Flovent® 44, 110, 220	2 inhalations twice a day
<input type="checkbox"/> Flovent® Diskus® 50 mcg	1 inhalation twice a day
<input type="checkbox"/> Pulmicort Flexhaler® 90, 180	1 - 2 inhalations once or twice a day
<input type="checkbox"/> Pulmicort Respules® 0.25, 0.5, 1.0	1 unit nebulized once or twice a day
<input type="checkbox"/> Qvar® 40, 80	2 inhalations twice a day
<input type="checkbox"/> Singulair 4, 5, 10 mg	1 tablet daily
<input type="checkbox"/> Symbicort® 80, 160	2 puffs MDI twice a day
<input type="checkbox"/> Other	

Remember to rinse your mouth after taking inhaled medicine.

If exercise triggers your asthma, take this medicine _____ minutes before exercise.

Triggers

Check all items that trigger patient's asthma:

- Chalk dust
- Cigarette Smoke & second hand smoke
- Colds/Flu
- Dust mites, dust, stuffed animals, carpet
- Exercise
- Mold
- Ozone alert days
- Pests - rodents & cockroaches
- Pets - animal dander
- Plants, flowers, cut grass, pollen
- Strong odors, perfumes, cleaning products, scented products
- Sudden temperature change
- Wood Smoke
- Foods:

CAUTION



Continue daily medicine(s) and add fast-acting medicine(s).



You have any of these:

- Exposure to known trigger
- Cough
- Mild wheeze
- Tight chest
- Coughing at night
- Other: _____

And/or Peak flow from _____ to _____

MEDICINE	HOW MUCH to take and HOW OFTEN to take it
<input type="checkbox"/> Accuneb® 0.63, 1.25 mg	1 unit nebulized every 4 hours as needed
<input type="checkbox"/> Albuterol 1.25, 2.5 mg	1 unit nebulized every 4 hours as needed
<input type="checkbox"/> Albuterol <input type="checkbox"/> Pro-Air <input type="checkbox"/> Proventil®	2 puffs MDI every 4 hours as needed
<input type="checkbox"/> Ventolin® <input type="checkbox"/> Maxair <input type="checkbox"/> Xopenex®	2 puffs MDI every 4 hours as needed
<input type="checkbox"/> Xopenex® 0.31, 0.63, 1.25 mg	1 unit nebulized every 4 hours as needed
<input type="checkbox"/> Increase the dose of, or add:	

➔ If fast-acting medicine is needed more than 2 times a week, except before exercise, then call your doctor.

EMERGENCY



Take these medicines NOW and call 911. Asthma can be a life-threatening illness. Do not wait!



Your asthma is getting worse fast:

- Fast-acting medicine did not help within 15-20 minutes
- Breathing is hard and fast
- Nose opens wide
- Ribs show
- Trouble walking and talking
- Lips blue • Fingernails blue

And/or Peak flow below _____

<input type="checkbox"/> Accuneb® 0.63, 1.25 mg	1 unit nebulized every 20 minutes
<input type="checkbox"/> Albuterol 1.25, 2.5 mg	1 unit nebulized every 20 minutes
<input type="checkbox"/> Albuterol <input type="checkbox"/> Pro-Air <input type="checkbox"/> Proventil®	2 puffs MDI every 20 minutes
<input type="checkbox"/> Ventolin® <input type="checkbox"/> Maxair <input type="checkbox"/> Xopenex®	2 puffs MDI every 20 minutes
<input type="checkbox"/> Xopenex® 0.31, 0.63, 1.25 mg	1 unit nebulized every 20 minutes
<input type="checkbox"/> Other	

This asthma treatment plan is meant to assist, not replace, the clinical decision-making required to meet individual patient needs.

This information is for informational purposes only. It is not intended to be used as a substitute for professional medical advice. The American Lung Association is not responsible for any adverse effects or consequences resulting from the use of this information. For more information, please contact the American Lung Association at 1-800-558-LUNG or www.lung.org.

FOR MINORS ONLY:

- This student is capable and has been instructed in the proper method of self-administering of the inhaled medications named above in accordance with NJ Law.
- This student is not approved to self-medicate.

PHYSICIAN/APM/PA SIGNATURE _____ DATE _____

PARENT/GUARDIAN SIGNATURE _____

PHYSICIAN STAMP _____

EFFECTIVE MARCH 2008

Permission to reproduce blank form. Approved by the New Jersey Therapeutic Society

Make a copy for patient and for physician file. For children under 18, send original to school nurse or child care provider.